



## FOOD SAFETY AGENCY OF THE REPUBLIC OF AZERBAIJAN

185b, Heydar Aliyev ave., Nizami district, Baku, Azerbaijan, AZ 1029  
E-mail: info@afsa.gov.az

Tel.: (+994 12) 565 12 72  
Fax: (+994 12) 565 12 92

"24" 06 20 23

№ 3-44/2-4/12-2692/2023

**To: Islamic Republic of Iran  
Ministry of Agriculture-Jahad  
Plant Protection Organization**

**Address: N.2 Yaman (Tabnak) Ave., Chamran  
Highway, Tehran P.O.  
Box 19395-4568 Iran  
e-mail: quarantine@ppo.ir**

The Food Safety Agency of the Republic of Azerbaijan (AFSA) presents its compliments to the Ministry of Agriculture-Jahad Plant Protection Organization of the Islamic Republic of Iran. We present the quarantine import requirements of the Republic of Azerbaijan for plant products mentioned to your letter dated May 29, 2023, №4493/730.

AFSA avails of this opportunity to renew the assurances of its highest consideration and esteem to the Ministry of Agriculture-Jahad Plant Protection Organization of the Islamic Republic of Iran.

**Attachment: 4 page.**

**Deputy Chairman**

**Zakiyya Mustafayeva**

## PHYTOSANITARY QUARANTINE REQUIREMENTS OF AZERBAIJAN REPUBLIC

1. Plants and plant products imported into territory of the Azerbaijan must be accompanied by a phytosanitary certificate.
2. Fruits, berries and vegetables infected with harmful organisms that are not detected in the Republic of Azerbaijan, are distributed in a limited area and are included in the list of harmful organisms that can pose a potential threat to the country (<https://e-qanun.az/framework/12610>) are not allowed to be imported into the territory of the country.

### Special phytosanitary requirements for fruits and berries

№	Type of consignments under quarantine control (with HS code)	Special phytosanitary quarantine requirements
1	Apricot, cherry, peach (nectarine), plum and blackthorn ( <i>Prunus spp.</i> ), fresh 0809	<i>Should be free from Ceratitis capitata, Grapholita molesta, Carposina niponensis, Drosophila suzuki, Rhagoletis pomonella, Monilinia fructicola and Bactrocera dorsalis</i>
2	Apples ( <i>Malus spp.</i> ), pear ( <i>Pyrus spp.</i> ), quince ( <i>Cydonia</i> ), fresh 0808	<i>Should be free from Ceratitis capitata, Grapholita molest, Carposina sasakii, Drosophila suzuki, Rhagoletis cingulata, Rhagoletis pomonella, Bactrocera dorsalis, Numonia pyrivorella, Cydia packardi, Conotrachelus nenuphar, Pseudococcus comstocki, Monilinia fructicola and Numonia pyrivorella</i>
3	Date (fruit of <i>Arecaceae</i> palm), fig, pineapple, avocado, <i>Psidium guajava</i> , mango, Purple mangosteen or <i>Garcinia</i> , fresh or dried  0804 10 000 0; 0804 20; 0804 30 000 0; 0804 50 000 0	<i>Should be free from Ceratitis capitata, Bactrocera dorsalis and Bactrocera cucurbitae</i>
4	Citrus fruits, fresh  0805	<i>Should be free from Ceratitis capitata, Bactrocera dorsalis, Aleurocanthus woglumi, Aleurothrixus floccosu, Unaspis yanonensis, Pseudococcus citriculus, Bactrocera mina, Citrus tristeza virus and Xanthomonas campestris pv. citri</i>

5	Kiwi and feijoa (fresh) 0806	Should be free from <i>Ceratitis capitata</i> , <i>Bactrocera dorsalis</i> , <i>Drosophila Suzuki</i> , <i>Pseudoulacaspis pentagona</i> and <i>Quadraspidotus perniciosus</i>
6	Melon (including watermelon) and pumpkin 0709 93; 0807	Should be free from <i>Bactrocera cucurbitae</i> , <i>Myiopardalis pardalina</i> , <i>Dacus ciliatus</i> , <i>Cuscuta</i> spp. and <i>Cenchrus longispinus</i>
7	Peppers ( <i>Capsicum annuum</i> ), fresh or chilled 0709 60	Should be free from <i>Liriomyza huidobrensis</i> , <i>Frankliniella occidentalis</i> , <i>Candidatus liberibacter solanacearum</i> and <i>Tomato brown rugose fruit virus</i>
8	Eggplant ( <i>Solanum melongena</i> ), fresh and chilled 0709 30 000 0	Should be free from <i>Spodoptera frugiperda</i> and <i>Tetranychus evansi</i>
9	Cucumbers ( <i>Cucumis sativus</i> ) and gherkins, fresh or chilled 0707 00	Should be free from <i>Liriomyza trifolii</i> , <i>Bactrocera cucurbitae</i> , <i>Dacus ciliatus</i> , <i>Spodoptera frugiperda</i> , <i>Frankliniella occidentalis</i> , <i>Bemisia tabaci</i> and <i>Liriomyza huidobrensis</i>
10	<i>Dacus</i> , <i>Brassica rapa</i> , <i>Tragopogon</i> , <i>Apium</i> , <i>Raphanus sativus</i> and other similar edible legumes, fresh or chilled 0706	Should be free from <i>Phymatotrichopsis omnivora</i> , <i>Xiphinema rivesi</i> , <i>Globodera pallida</i> , <i>Globodera rostochiensis</i> , <i>Meloidogyne chitwoodi</i> , <i>Meloidogyne fallax</i> and <i>Beet necrotic yellow vein benyvirus</i>
11	<i>Lactuca sativa</i> and <i>Cichorium</i> spp., fresh or chilled 0705	Should be free from <i>Bemisia tabaci</i> , <i>Spodoptera littoralis</i> , <i>Liriomyza trifolii</i> , <i>Liriomyza huidobrensis</i> ) and <i>Liriomyza sativae</i> In case <i>Lactuca sativa</i> and <i>Cichorium</i> spp. are imported with their roots, in addition to what is stated in the above, should be free from <i>Globodera pallida</i> , <i>Globodera rostochiensis</i> , <i>Meloidogyne chitwoodi</i> , <i>Meloidogyne fallax</i> and <i>Xiphinema rivesi</i>
12	Brassica, cauliflower, Kohlrabi and kale and similar vegetables, fresh or chilled 0704	Should be free from <i>Liriomyza trifolii</i> , <i>Liriomyza sativae</i> , <i>Frankliniella occidentalis</i> , <i>Bemisia tabaci</i> , <i>Spodoptera litura</i> and <i>Spodoptera littoralis</i>

13	<i>Allium cepa</i> L., <i>Allium ascalonicum</i> L., <i>Allium porrum</i> L., <i>Allium sativum</i> L. and other bulbous vegetables, fresh or chilled  0703	Should be free from <i>Liriomyza trifolii</i> , <i>Frankliniella occidentalis</i> and <i>Spodoptera frugiperda</i>
14	Tomato ( <i>Solanum lycopersicum</i> ), fresh or chilled  0702 00 000 0	Should be free from Tomato brown rugose fruit virus, Pepino mosaic virus, Tomato spotted wilt virus, <i>Spodoptera frugiperda</i> , <i>Spodoptera eridania</i> , <i>Spodoptera litura</i> , <i>Spodoptera littoralis</i> , <i>Tecia solanivora</i> , <i>Tuta absoluta</i> , <i>Bactrocera</i> spp., <i>Frankliniella occidentalis</i> , <i>Tetranychus evansi</i> and <i>Cuscuta</i> spp.
15	Potatoes ( <i>Solanum tuberosum</i> ), fresh or chilled potatoes for food and technical purposes  0701	Should be free from <i>Epitrix tuberis</i> , <i>Epitrix cucumeris</i> , <i>Thecaphora solani</i> , <i>Tecia solanivora</i> , <i>Phoma foveata</i> , Potato virus Y, Andean potato latent virus, <i>Phthorimaea operculella</i> , <i>Ralstonia solanacearum</i> , <i>Meloidogyne chitwoodi</i> , <i>Meloidogyne fallax</i> , <i>Globodera pallida</i> , <i>Ditylenchus dipsaci</i> , <i>Ditylenchus destructor</i> , <i>Globodera rostochiensis</i> , <i>Xiphinema rivesi</i> , <i>Clavibacter michiganensis</i> subsp <i>sepedonicus</i> , <i>Synchytrium endobioticum</i> , Potato spindle tuber viroid, <i>Impatiens necrotic spot virus</i> and Tomato spotted wilt virus.  The consignment or the lot shall not contain more than 1 % by weight of soil.
16	Tobacco raw materials and waste  2401	Should be free from <i>Megaselia scalaris</i> , <i>Ambrosia</i> spp. and <i>Cuscuta</i> spp.
17	Parsley, dill, leek  0709 99 100 0	Should be free from <i>Thrips palmi</i> , <i>Phymatotrichopsis omnivora</i> and <i>Liriomyza huidobrensis</i>
18	<i>Apium graveolens</i> 0706-dan	Should be free from <i>Liriomyza</i> spp.
19	Spices and tea 0904-0910; 0902	Should be free from <i>Caulophilus latinasus</i> , <i>Lasioderma serricorne</i> and <i>Trogoderma granarim</i>
20	Dried fruits 0813	Should be free from <i>Trogoderma granarium</i> and <i>Carpophilus hemipterus</i>
21	<i>Lawsonia inermis</i> and <i>Phoenix dactylifera</i>	Should be free from <i>Fusarium oxysporum</i> f. sp.

3203 00; 0804 10 000 0	<i>albedinis</i>
------------------------	------------------

**SPECIAL QUARANTINE REQUIREMENTS FOR SPROUTS, FLOWERS AND BUDS  
CUT OFF FOR PREPARING BOUQUET AND DECORATIVE PURPOSES**

№	Type of consignments under quarantine control (with HS code)	Special phytosanitary quarantine requirements
1	Cut off flowers and buds, useful for preparing the bouquet or for decorative purposes, fresh  0603 11 000 0 - 0603 19 700 0	<i>Should be free from Spodoptera spp, Liriomyza spp, Frankliniella spp, Chrysodeixis spp, Helicoverpa spp, Tetranychus evansi, Thrips palmi, Puccinia horiana, Scirtothrips dorsalis, Bemisia tabaci, Phialophora cinerescens and Aleurocanthus woglumi</i>
2	Cut flowers of chrysanthemum ( <i>Chrysanthemum spp.</i> ) and Dendranthema  0603 14 000 0; 0603 19; 0603 90 000 0	<i>Should be free from Didymella ligulicola, Puccinia horiana</i>
3	Cut flowers of pelargonium ( <i>Pelargonium spp.</i> ).  0603 19 700 0; 0603 90 000 0	<i>Should be free from Puccinia pelargonii-zonalis</i>
4	Cut flowers of the genus Camellia ( <i>Camellia spp.</i> ).  0603 19 700 0; 0603 90 000 0	<i>Should be free from Ciborinia camelliae</i>
5	Cut flowers of roses ( <i>Rosa spp.</i> ).  0603 11 000 0; 0603 90 000 0	<i>Should be free from Frankliniella occidentalis, Scirtothrips dorsalis, Aleurocanthus spiniferus, Aleurocanthus woglumi, Cydia prunivora and Cacoecimorpha pronubana</i>